



2018

HIGH PERFORMANCE OFFER

PASSENGER CARS
SUV - CROSSOVER


SAFE WHEN NEW, SAFE WHEN WORN.*

THANKS TO LATEST MICHELIN PRIMACY⁴ RANGE.*

TYRES WEAR DOWN. SAFETY DOESN'T HAVE TO.



NOT ALL NEW TYRES PERFORM AT THE SAME LEVEL AND ESPECIALLY NOT WORN TYRES.**



MICHELIN PRIMACY⁴ RANGE IS DESIGNED TO PERFORM FROM NEW TO WORN IN TOTAL CONFIDENCE.*

SUSTAINABLE AND WINNING CHOICE FOR CONSUMERS.

FOR DECADES, MICHELIN HAS BEEN COMMITTED TO DEVELOPING AND IMPROVING OUR TYRE PERFORMANCES.

We continue this with our latest innovation, MICHELIN Primacy⁴ range, providing safety from new until worn*.



€ Save time and money by replacing tyres only when they are fully worn



Reduce fuel consumption thanks to decrease of rolling resistance



Minimize environmental waste**

* New and Worn (worn means 2 mm tread depth), on MICHELIN PRIMACY⁴ (205/55 R16 91V) is above the R117 European regulation wet grip threshold.
** Internal study carried out on May 3rd 2017, at the Michelin Technology centre using a Citroën C4, braking from 80 to 20 km/h. Results recorded by bailif.

* New and Worn (worn means 2 mm tread depth), on MICHELIN PRIMACY⁴ is above the R117 European regulation wet grip threshold.
** Reduction of 128M of tyres in Europe due to early replacement and 9M of tons of CO₂ emissions. Technical position paper, 09/27/2016, on "Raw material, fuel consumption and CO₂ emissions related to early removal of passenger car tyres".

RACING TODAY

RACING TODAY FOR TOMORROW'S MOBILITY

MOTOR RACING HAS BEEN A PART OF OUR DNA SINCE DAY ONE. MICHELIN STRIVES TO BE PRESENT IN GLOBAL MOTOR SPORTS, SUPPORTING OUR PARTNERS TO VICTORY AT THE FINISH LINE, AND IMPROVING THE MOBILITY OF TOMORROW.

Over 40 years of success:

- FIA Formula One World Championship / F1
- FIM World MotoGP Championship
- FIM World Superbike Championship / WSBK
- FIA World Rally Championship / WRC
- FIA World Endurance Championship / WEC
- Le Mans 24H
- Dakar
- FIA World Touring Car Championship / WTCC
- FIA GT Championship / FIA GT1
- FIA Formula E Championship



DRIVERS HAVE SPOKEN

PROVEN SATISFACTION, ENDORSED BY THE DRIVERS THEMSELVES.*

Safety**

(braking/grip on wet/dry road)



Longevity



Overall rating



Recommended by **97%**
of consumers^(*)



* Average of consumers' opinions on all MICHELIN products (except Nordics ranges) published on 12/09/2017 on all Michelin European websites (information aggregated and collected on the website www.michelin.fr).
** The safety score is an average of the scores obtained based on braking and wet/dry grip criteria for summer tyres.

RECOMMEND THE RIGHT MICHELIN TYRE IN 2 SIMPLE STEPS

1 WHAT KIND OF VEHICLE DO YOU OWN?

2 WHAT KIND OF DRIVER ARE YOU?

	1	2 → PREMIUM		2 → HIGH PERFORMANCE SPORT TYRE	2 → ULTRA-HIGH PERFORMANCE SPORT TYRE
CITY, COMPACT CARS	MICHELIN Primacy 4 <small>NEW</small>				
SEDANS			MICHELIN PILOT SPORT 4		
SPORT SEDANS					
SPORT & HIGH PERFORMANCE CARS				MICHELIN PILOT SPORT 4 S	MICHELIN Pilot Sport Cup 2
CROSSOVER	MICHELIN Primacy 4 <small>NEW</small>	MICHELIN Primacy SUV	MICHELIN LATITUDE CROSS	MICHELIN LTX FORCE	MICHELIN LATITUDE TOUR HP
LARGE & LUXURY SUV					

**SAFE WHEN NEW,
SAFE WHEN WORN ⁽¹⁾.**

SELECT A PRODUCT

MICHELIN PRIMACY 4



SUPERIOR SAFETY

OUTSTANDING **WET BRAKING** PERFORMANCES

WHEN **NEW** AND STILL WHEN **WORN** ⁽²⁾

OUTSTANDING **DRY BRAKING** PERFORMANCES ⁽³⁾



#1 IN LONGEVITY

LASTS 18 000 KMS LONGER THAN
ITS COMPETITORS ON AVERAGE ⁽⁴⁾

⁽¹⁾ New and Worn (worn means 2 mm tread depth), on 205/55 R16 91V MICHELIN PRIMACY⁴, is above the R117 European regulation wet grip threshold.

⁽²⁾ Wet braking test, between 80 and 20 kph, conducted by TÜV SÜD product service, on Michelin's request, between June and July 2017, on dimension 205/55 R16 91V on VW Golf 7 comparing MICHELIN PRIMACY⁴ versus BRIDGESTONE TURANZA T001 EVO; CONTINENTAL PREMIUM CONTACT 5; DUNLOP BLURESPONSE; GOODYEAR EFFICIENT GRIP PERFORMANCE; PIRELLI CINTURATO P7 BLUE competitors.

⁽³⁾ Dry braking test, between 100 and 0 kph, conducted by TÜV SÜV product service, on Michelin's request, in July 2017, on dimension 205/55 R16 91V on VW Golf 7 comparing MICHELIN PRIMACY⁴ versus BRIDGESTONE TURANZA T001 EVO; CONTINENTAL PREMIUM CONTACT 5; DUNLOP BLURESPONSE; GOODYEAR EFFICIENT GRIP PERFORMANCE; PIRELLI CINTURATO P7 BLUE competitors.

⁽⁴⁾ Test conducted by DEKRA TEST CENTER, on Michelin's request, between June and July 2017, on dimension 205/55 R16 91V on VW Golf 7 comparing MICHELIN PRIMACY 4 versus BRIDGESTONE TURANZA T001 EVO; CONTINENTAL PREMIUM CONTACT 5; DUNLOP BLURESPONSE; GOODYEAR EFFICIENT GRIP PERFORMANCE; PIRELLI CINTURATO P7 BLUE competitors. Longevity test run in average real usage (D50) with 10,000 kms run and estimated longevity at 1.6mm.

PASSENGER CARS & CROSSOVER – PREMIUM

SELECT A PRODUCT

MICHELIN PRIMACY 4

SUPERIOR SAFETY


BRAKING PERFORMANCE ON WET ROADS (1):

NEW TYRE


WORN TYRE



BRAKING PERFORMANCE ON DRY ROADS (2)



OUTSTANDING GRIP ON WET ROAD, EVEN WHEN WORN




Its new sculpture provides +22% of space to evacuate more water (3)



OUTSTANDING WET BRAKING PERFORMANCE:

- WHEN NEW AND EVEN WHEN WORN
- WITHOUT COMPROMISING TYRE LONGEVITY

Thanks to last generation high performance rubber compound.



#1 IN LONGEVITY (4)



BENEFIT FROM ITS SUPERIOR VALUE UNTIL IT IS WORN OUT

Innovative treadwear feature help you to identify when the tyres need changing

Width: 185 to 255
 Height: 65 to 40
 Diameter: 15 to 18
 Speed Symbol: T,H,V,W,Y

(1) Wet braking test, between 80 and 20 kph, conducted by TÜV SÜD product service, on Michelin's request, between June and July 2017, on dimension 205/55 R16 91V on VW Golf 7 comparing MICHELIN PRIMACY⁴ versus BRIDGESTONE TURANZA T001 EVO; CONTINENTAL PREMIUM CONTACT 5; DUNLOP BLURESPONSE; GOODYEAR EFFICIENT GRIP PERFORMANCE; PIRELLI CINTURATO P7 BLUE competitors.
 (2) Dry braking test, between 100 and 0 kph, conducted by TÜV SÜD product service, on Michelin's request, in July 2017, on dimension 205/55 R16 91V on VW Golf 7 comparing MICHELIN PRIMACY⁴ versus BRIDGESTONE TURANZA T001 EVO; CONTINENTAL PREMIUM CONTACT 5; DUNLOP BLURESPONSE; GOODYEAR EFFICIENT GRIP PERFORMANCE; PIRELLI CINTURATO P7 BLUE competitors.
 (3) On the full sculpture, when worn, compared to the standard sculpture of MICHELIN Primacy⁴.
 (4) Test conducted by DEKRA TEST CENTER, on Michelin's request, between June and July 2017, on dimension 205/55 R16 91V on VW Golf 7 comparing MICHELIN PRIMACY⁴ versus BRIDGESTONE TURANZA T001 EVO; CONTINENTAL PREMIUM CONTACT 5; DUNLOP BLURESPONSE; GOODYEAR EFFICIENT GRIP PERFORMANCE; PIRELLI CINTURATO P7 BLUE competitors. Longevity test run in average real usage (D50) with 10.000 km run and estimated longevity at 1.6mm.



PASSENGER CARS – HIGH PERFORMANCE SPORT

SELECT A PRODUCT

MICHELIN PILOT SPORT 4

FROM MIND TO ROAD.
INSTANTLY.

- » 5 times test winner ⁽¹⁾.
- » Highly acclaimed for handling and safety ⁽¹⁾.

MICHELIN'S EXCELLENCE IN
LONGEVITYEXCELLENT STEERING
CONTROL AND HIGH
LEVEL OF REACTIVITY

- “Dynamic Response” technology: A hybrid belt of aramid and nylon ensures optimum transmission of steering instructions onto the road.
- Ultra-reactive tread pattern design, adapts continuously to the road, for optimized footprint on the road.

HIGH LEVEL
OF SAFETY ON
WET ROADS

- New mix of compound with specific “functional elastomers” and silica provides excellent wet grip and braking.
- Wide and deep longitudinal grooves ensure a high level of drainage on wet roads.

COMING FROM CO-OPERATION
WITH EMBLEMATIC CAR
MANUFACTURERS AND
MOTORSPORT EXPERIENCE

- Pilot sport tireline is co-designed with the most demanding car manufacturers (BMW, Mercedes, Audi, Porsche) ⁽²⁾.
- Tread pattern design comes from motorsport experience (Formula E, WEC ⁽³⁾, WRC ⁽⁴⁾...).

Width: 205 to 325
Height: 30 to 55
Diameter: 16" to 21"
Speed Symbol: W, Y

(1) AutoBild Summer Tyre Test – March 2017, AutoMotorundSport (AMS) Summer Tyre Test - April 2017, SportAuto Tyre Test - April 2017, EVO Summer Tyre Test – July 2017, Auto Express Tyre Test - July 2016.

(2) BMW = 24 homologations with PILOT SPORT and PILOT SPORT PS2, Mercedes = 31 homologations with PILOT SPORT, PILOT SPORT PS2 and PILOT SPORT 3, AUDI & AUDI Quattro = 14 homologations with PILOT SPORT PS2 and PILOT SPORT 3, PORSCHE = 43 homologations with PILOT SPORT PS2.

(3) WEC = FIA World Endurance Championship.

(4) WRC = FIA World Rally Championship.

MICHELIN PILOT SPORT 4 S

**GENUINE PASSION,
EXCEPTIONAL DRIVES.**

SELECT A PRODUCT

THE MAXIMUM OF PERFORMANCES



1ST IN DRY & WET BRAKING ⁽¹⁾

1ST ON DRY LAP TIME ⁽¹⁾

1ST IN LONGEVITY ⁽²⁾

N°1 SUPER SPORT TYRE AT  ⁽³⁾

(1) External tests realized by TÜV SÜD on Audi A5/S5 in June and July 2016 in 255/35-19 96Y XL with BRIDGESTONE Potenza S001, CONTINENTAL SportContact 6, DUNLOP Sport Maxx RT 2 and GOODYEAR Eagle F1 Asymmetric 3 and external tests realized by TÜV SÜD on Audi A3 in June 2017 in 235/35-19 91Y XL with PIRELLI P Zero.

(2) External tests realized by DEKRA Test Center on Audi A4 in June and July 2016 in 255/35-19 96Y XL with BRIDGESTONE Potenza S001, CONTINENTAL SportContact 6, DUNLOP Sport Maxx RT 2 and GOODYEAR Eagle F1 Asymmetric 3 and external tests realized by DEKRA Test Center on Audi A3 in June and July 2017 in 235/35-19 91Y XL with PIRELLI P Zero.

(3) TireRack is an independent, premier American tyre online retailer with trained tyre and wheel experts. TireRack conducts rigorous internal testing and uses consumer rating and reviews to provide consumers with informed recommendations. Results published in July 2017.

Information correct at the date of publication : July 2018. © Getty Images

PASSENGER CARS – ULTRA HIGH PERFORMANCE SPORT

SELECT A PRODUCT

MICHELIN PILOT SPORT 4 S

HIGH LEVEL OF REACTIVITY

Ultra-reactive tread pattern design, adapts continuously to the road, for optimized footprint on the road.

EXCELLENT STEERING CONTROL

“Dynamic response” technology: a hybrid belt of aramid and nylon ensures optimum transmission of steering instructions onto the road.

EXCEPTIONAL DRY GRIP AND IMPROVEMENT OF WET BRAKING

BI-COMPOUND TECHNOLOGY:

- Outer side: a novel hybrid elastomer for DRY grip.
- Inner side: new mix of compound with specific “functional elastomers” and silica provides excellent WET grip and braking.



PREMIUM TOUCH FINISH

Velvet effect creates a variety of black contrasts on the outside sidewall.

DEEP RIM PROTECTOR

A protection for all kind of wheels.

A GENUINE CRAFTING PROCESS

A high-precision process and a unique know-how associated to the perfect gesture of Michelin experts.

ACCLAIMED BY CAR MAKERS

New vehicles are equipped with the new MICHELIN Pilot Sport 4S tire:

- FERRARI GTC4 LUSSO 2016
- MERCEDES AMG E-Class E 63 2017 & E 43 2017

Width: 225 to 345
Height: 25 to 45
Diameter: 19" to 22"
Speed Symbol: Y


PASSENGER CARS – ULTRA HIGH PERFORMANCE SPORT

SELECT A PRODUCT

COMPARE MICHELIN PILOT SPORT 4 S  TO ITS COMPETITORS:


N°1 IN BRAKING ON DRY ROAD

Tests prove MICHELIN PILOT SPORT 4 S excels compared to its competitors when braking on a dry surface from 100 km/hr to a complete stop ⁽¹⁾.




N°1 IN LONGEVITY

The mileage of the MICHELIN PILOT SPORT 4 S tire surpasses its competitors ⁽²⁾.




N°1 IN LAP TIME ON DRY ROAD

MICHELIN PILOT SPORT 4 S tyres outperform competitors in dry handling lap time performance on a 2,600 m track ⁽¹⁾.



N°1 IN BRAKING ON WET ROAD

Tests prove MICHELIN PILOT SPORT 4 S excels compared to its competitors when braking on a wet surface from 80 km/hr to a complete stop ⁽³⁾.



(1) Thanks to external tests realized by TÜV SÜD in June and July 2016 in 255/35-19 96Y XL. BRIDGESTONE Potenza S001, CONTINENTAL SportContact 6, DUNLOP Sport Maxx RT 2, GOODYEAR Eagle F1 Asymmetric 3, and PIRELLI PZero Nero GT bought on European replacement market in 2016 by TÜV SÜD.

(2) Thanks to external tests realized by DEKRA Test Center in June and July 2016 in 255/35 R19 96Y XL at the request of Michelin. MICHELIN Pilot Sport 4 S vs BRIDGESTONE Potenza S001, CONTINENTAL SportContact 6, DUNLOP Sport Maxx RT 2, GOODYEAR Eagle F1 Asymmetric 3, PIRELLI PZero Nero GT bought on European replacement market in 2016 by TÜV SÜD.

(3) Thanks to external tests realized by TÜV SÜD in June and July 2016 in 255/35-19 96Y XL. BRIDGESTONE Potenza S001, CONTINENTAL SportContact 6, DUNLOP Sport Maxx RT 2, GOODYEAR Eagle F1 Asymmetric 3, and PIRELLI PZero Nero GT bought on European replacement market in 2016 by TÜV SÜD.

PASSENGER CARS – ULTRA HIGH PERFORMANCE SPORT

SELECT A PRODUCT

MICHELIN *Pilot Sport Cup 2***GET TRACK READY**

- » Best dry lap time: 1"20 faster than competitors on average ⁽¹⁾.
- » Best track endurance: 40% more laps than competitors on average ⁽²⁾.
- » Best in class consistency ⁽³⁾.

**TRACK LONGEVITY TECHNOLOGY 2.0**

- The tyre that lasts longer even in intensive track use
 - Tyres can be changed less often.
- The outer shoulder of the tyre is reinforced with a special rubber that is highly resistant to abrasion. Lap after lap, the MICHELIN Pilot Sport Cup 2 continues to offer exceptional grip.

BI-COMPOUND TECHNOLOGY

- Exceptional dry grip
- Improved dry lap regularity :
Two different rubbers used on the outside and inside of the tread.

OUTSIDE: A "High Molecular Chain" elastomer guarantees exceptional grip especially in tight bends.

INSIDE: A more rigid elastomer optimizes steering precision and wet grip.

**DEEPER "RACING" TREAD DEPTH**

- Improved grip
- Pushes back adhesion limits on wet roads: Developed together with MICHELIN'S racing teams, this tread depth is 20% deeper than the previous generation.

Width: 205 to 325
Height: 25 to 40
Diameter: 18" to 21"
Speed Symbol: Y

(1) Tests conducted by DEKRA TEST CENTER at the request of Michelin on Porsche 911 GT3 (997), in May 2017 on dimensions 235/35-19 and 305/30-19. Gap in terms of average lap time on the circuit of Charade (FR) comparing MICHELIN Pilot Sport Cup 2 to PIRELLI Trofeo R, DUNLOP Sport Maxx Race, YOKOHAMA Advan Neova AD08R and TOYO Proxes R888 R.

(2) Tests conducted by DEKRA TEST CENTER at the request of Michelin on Porsche Carrera S, in May 2017 on dimensions 235/35-19 and 305/30-19. Gap in terms of laps ran without tyre damage on the circuit of Charade (FR) comparing MICHELIN Pilot Sport Cup 2 to PIRELLI Trofeo R, DUNLOP Sport Maxx Race, YOKOHAMA Advan Neova AD08R and TOYO Proxes R888 R.

(3) Tests conducted by DEKRA TEST CENTER at the request of Michelin on Porsche Carrera S, in May 2017 on dimensions 235/35-19 and 305/30-19. Regularity evaluated through the evolution of lap time with the number of laps on the circuit of Charade (FR) comparing MICHELIN Pilot Sport Cup 2 to PIRELLI Trofeo R, DUNLOP Sport Maxx Race, YOKOHAMA Advan Neova AD08R and TOYO Proxes R888 R.

LIGHT TRUCK, SUV & CROSSOVER – PREMIUM

SELECT A PRODUCT

MICHELIN **LATITUDE** Tour HP

ON-ROAD COMFORT AND HANDLING

- » Comfort.
- » Handling.
- » Fuel Efficiency.

TECHNOLOGIES DERIVED FROM EARTHMOVER TYRES

Very resistant tread compound for a longer tyre life.


SUPLE STRUCTURE

Supple structure for a comfortable ride and to help providing a uniform contact area pressure distribution to increase tyre longevity.



StabiliGrip

StabiliGrip self-locking sipes technology for greater safety in any road conditions: the StabiliGrip adds rigidity to the tread blocks for better acceleration, braking and cornering.



MICHELIN CONTROL COMFORT TECHNOLOGY™

Design and precision manufacturing ensures excellent uniformity that greatly reduces vibrations and road noise.

Width: 215 to 295
Height: 40 to 65
Diameter: 16" to 21"
Speed Symbol: H, V, W

SUV & PICK UP TRUCK – PREMIUM

SELECT A PRODUCT

MICHELIN **PRIMACY** SUV

SMOOTH AND COMFORTABLE RIDE

- » Reduced braking distance: 2.3 m shorter braking distance on wet roads ⁽¹⁾ and 3.8 m shorter on dry roads ⁽²⁾.
- » 10% better handling on wet roads ⁽³⁾.

FlexMax 2.0

- Using **FlexMax 2.0** technology, the tread adapts to the shape of the road for better connection and grip.
- **FlexMax 2.0** and the chamfered tread block edge prevent the block from distorting and losing contact pressure, ensuring maximum rubber contact with the road when it is needed the most.



StabiliGrip

StabiliGrip technology uses self-locking blocks inside the small grooves (sipes) to minimise tread block deformation and improve handling. At the same time, these small grooves cut through water on wet surfaces.



EvenPeak

Thanks to more tread block numbers in circumferential direction, the noise frequency shift to higher and it helps better noise perception.



CushionGuard

Keeps the ride smooth, steady and comfortable. Absorbs bumps in the road using the shock absorbent sidewall and supple tread.

Width: 205 to 285
Height: 55 to 70
Diameter: 15" to 20"
Speed Symbol: W, Y

(1) The test was carried by CATARC on 11th Apr. 2015, compared to leading competitors. Vehicle: Honda CR-V 2.0 VVT. Tyre size 225/65R17. Speed: 80 km/h to 20km/h. Tyre pressure: 210 kPa.
(2) The test was carried by CATARC on 11th Apr. 2015, compared to leading competitors. Vehicle: Honda CR-V 2.0 VVT. Tyre size 225/65R17. Speed: 100 km/h to 0km/h. Tyre pressure: 210 kPa.
(3) The test was carried by CATARC on 11th Apr. 2015, compared to MICHELIN Primacy SUV premium leading competitor. Vehicle: Honda CR-V 2.0 VVT. Tyre size 225/65R17. Tyre pressure: 210 kPa.

SUV & PICK UP TRUCK – PREMIUM

SELECT A PRODUCT

MICHELIN **LATITUDE**
CROSS

THE SUV TYRE COMFORTABLE ON ROAD AND AT EASE ON TRACKS

- » **Excellent grip.**
- » **Exceptional longevity.**
- » **Good performance in all weather conditions.**

TECHNOLOGIES

A UNIQUE ASYMMETRIC TREAD PATTERN
Designed with a large number of biting edges and wide offset blocks extending far down the sidewalls.

INNER SHOULDER: curved tread block design that increases the length of biting edges, decreases noise and enhances wet performances.

OUTER SHOULDER: large number of different sized and spaced shoulder blocks provides a quieter ride while improving off-road performance.



Width: 185 to 285
Height: 45 to 80
Diameter: 15" to 21"
Speed Symbol: H, T, V, W

SUV & PICK UP TRUCK – PREMIUM

SELECT A PRODUCT

MICHELIN **LTX FORCE**THE TECHNOLOGY BEHIND
MICHELIN LTX FORCE

» MICHELIN's all-terrain tyre with on-road capabilities and off-road toughness!.

MICHELIN'S ALL-TERRAIN TYRE WITH
ON-ROAD CAPABILITIES AND OFF-ROAD TOUGHNESS!

				
Highway Asphalt Road	City Commuting Asphalt road, cement road, stone road	Light Off-Road Unpaved Road crushed stones, dirt, gravel	Moderate Off-Road Sand, wet mud	Severe Off-Road unsurfaced natural terrain

MICHELIN LTX Force
On & Off Road

GOOD

VERY GOOD

BEST

VERY GOOD

AIR

ON-ROAD CAPABILITIES

CompacTread Technology:

- Reinforcement between blocks increases contact area with the ground, for better braking & safety
- Thanks to CompacTread technology, Michelin LTX force lasts 35% more than the competitors average!*
- Brakes 2 meters shorter than the competition.**

BevelTread Technology:

- A rounded sloping edge cuts the peaks of noise power, thus providing a noticeably quieter and more peaceful ride.

CushionGuard Technology:

- It absorbs road imperfections for a comfortable ride.



OFF-ROAD THOUGHNESS

Extended Sidewall Biting Edge:

- Additional 1.5mm of rubber thickness with angular pattern design provides additional bite forces in off-road use

Shoulder Design:

- Deeper and open shoulder design provides large biting edge surfaces, giving more traction in off-road use

Rubber compound derived from World Rally Championships:

- Optimized off-road traction, thanks to the experiences gained from FIA WRC competitions.

Width: 215 to 285
Height: 60 to 75
Diameter: 15" to 18"
Speed Symbol: T

SUV & CROSSOVER – ULTRA HIGH PERFORMANCE SPORT

SELECT A PRODUCT

MICHELIN **LATITUDE Sport 3**

**ENHANCED DRIVING EXPERIENCE
WITH ULTIMATE COMFORT AND SILENCE**

- » Acclaimed for its driving safety & dynamics: Best in class in wet braking ⁽¹⁾.
- » Homologated by Porsche, Audi, BMW, Mercedes, AMG, Jaguar, Land Rover, Tesla.

IMPROVED BRAKING ⁽²⁾

- Dry Braking: 1.20 meters shorter braking distance.
- Wet Braking: 2.70 meters shorter braking distance.

IMPROVED DRIVING ⁽²⁾

A tread pattern designed to transfer engine power effectively during acceleration, cornering and braking

IMPROVED ROBUSTNESS ⁽³⁾

Two-ply casing technology for on-road usage SUVs



ENHANCED GRIP ⁽²⁾

- An innovative & high performance formulation of rubber compounds for the tread band with a mix of silica and the latest generation of elastomers.
- Wet Cornering: 10% greater lateral grip.

VARIABLE THICKNESS SIPES

- Variable thickness sipes reduce tyre's rolling resistance
- 25% reduction in rolling resistance ⁽²⁾
- The Best in SUV Segment.


Width: 225 to 315
Height: 35 to 65
Diameter: 17" to 21"
Speed Symbol: H, V, W

(1) Stops on average 1.6 meter shorter on wet roads than competitors: wet braking test results conducted by TÜV SÜD product service, on Michelin's request, in April 2015, on dimension 235/60 R18 on AUDI Q5. Average results against Dunlop SP Quattro Maxx, Pirelli Scorpion Verde, Continental ContiSportContact5 SUV, Hankook Ventus Prime 2K 115.

(2) Compared to MICHELIN Latitude Sport, TÜV SÜD test 2013 on wet road (235/65 R 17).

(3) Except specific dimensions.

HOMOLOGATIONS



SPECIFIC CAR MANUFACTURER MARKINGS



AR.



AO



RO1



BG



HN



J_{OR} JLR



or JLR LR



K1,2,3



Mercedes-Benz



MO_{OR} MOE_{OR} MO1



PORSCHE

N0, 1, 2, 3, 4
NAX, NBx, NCx...



T0



TPC



TPC



SHANGHAI GM

TPC



VOL

TECHNOLOGY SPECIFIC MARKINGS



SPECIFIC CAR MANUFACTURER MARKINGS

Fitment Advice	Marking name	Marking origin	Car Makers & vehicles	Patterns available	Details	In cases of difficulty where the specifically marked tyres are not available can tyres without specific marking be fitted to the vehicles concerned in axle sets*?	Can these specifically marked tyres be fitted to another make of vehicle in axle sets*?
STRONGLY RECOMMENDED MARKING	★	Car Maker	BMW MOTORSPORT M135i M2 M3 M5 M6 Serie 1M Z4M	Pilot Sport Cup 2 Pilot Sport PS2 (non ZP) Pilot Super Sport Pilot Sport 4S	All new vehicles from this car maker are fitted with tyres with specific markings. Due to the particular technical characteristics of these vehicles Michelin strongly recommends complete sets of four.	YES in sets of 4	YES in sets of 4
	HN	Car Maker	HYUNDAI	Energy Saver+ Pilot Super Sport Pilot Sport 4 Pilot Sport 4S	Some new vehicles from this car maker are fitted with tyres with this marking. Due to the particular technical characteristics of these vehicles Michelin strongly recommends complete sets of four.	YES in sets of 4	NOT recommended
	K1 K2 K3	Car Maker	FERRARI	Pilot Sport Cup 2 Pilot Sport PS2 Pilot Super Sport Pilot Sport 4S	All vehicles from this car maker are fitted with tyres with specific markings. Due to the particular technical characteristics of these vehicles Michelin strongly recommends complete sets of four.	YES in sets of 4	NOT recommended
	MO	Car Maker	MERCEDES-AMG	Latitude Sport 3 Pilot Sport 3 Pilot Sport Cup 2 Pilot Super Sport Pilot Sport 4S	Some vehicles from this car maker are fitted with tyres with this marking. Michelin recommends complete sets of four	YES in sets of 4	YES in sets of 4
	MO1	Car Maker	MERCEDES-AMG	Pilot Super Sport Pilot Sport 3 Pilot Sport 4S		YES in sets of 4	YES in sets of 4
	N0 N1 N2 N3 N4	Car Maker	PORSCHE + VW Touareg	4x4 Diamaris Latitude Tour HP Latitude Sport 3 Pilot Exalto PE2 Pilot Sport 4 Pilot Sport Cup 2 Pilot Sport PS2 Pilot Super Sport Pilot Sport 4S	All vehicles from this car maker are fitted with tyres with specific markings. Due to the particular technical characteristics of these vehicles Michelin strongly recommends complete sets of four.	NOT recommended Except Porsche 911 type 991 Boxster type 981 Cayman type 981C which could be fitted with PSS et VW Touareg	YES in sets of 4
	RO1	Car Maker	AUDI QUATTRO	Pilot Sport PS2 Pilot Sport Cup 2	All vehicles from this car maker are fitted with tyres with this marking. Michelin recommends complete sets of four	YES in sets of 4	YES in sets of 4
	TO	Car Maker	TESLA	Pilot Super Sport Pilot Sport 3 Latitude Sport 3 Pilot Sport 4S		YES in sets of 4	YES in sets of 4
	TPC	Car Maker	GENERAL MOTORS GROUP CADILLAC	Pilot Super Sport	Some vehicles from this car maker are fitted with tyres with this marking. Michelin recommends complete sets of four	YES in sets of 4	NOT recommended
	DT	Michelin	ALL	Primacy MXM4 Latitude Tour HP LTX A/T2 Latitude Cross Latitude Diamaris Latitude Sport 3	Some vehicles from this car maker are fitted with tyres with this marking. Michelin recommends complete sets of four.	YES in sets of 4	YES in sets of 4

Fitment Advice	Marking name	Marking origin	Car Makers & vehicles	Patterns available	Details	In cases of difficulty where the specifically marked tyres are not available can tyres without specific marking be fitted to the vehicles concerned in axle sets*?	Can these specifically marked tyres be fitted to another make of vehicle in axle sets*?
RECOMMENDED MARKING	★	Car Maker	BMW / MINI	Latitude Sport 3 Latitude Tour HP Energy Saver Latitude Sport 3 ZP Latitude Tour HP ZP Pilot Primacy Pilot Sport PS2 ZP Pilot Super Sport Primacy 3 Primacy 3 ZP Primacy HP/ZP	All vehicles from this car maker are fitted with tyres with specific markings. Michelin recommends complete sets of four.	YES	YES
	AO AO DT1 AO S1	Car Maker	AUDI	Energy Saver Energy Saver + Latitude Sport Latitude Sport 3 Latitude Tour HP Pilot Sport 3 Pilot Sport 4 Primacy 3 Primacy HP		YES	YES
	AR	Car Maker	ALFA ROMEO	Latitude Sport 3 Pilot Sport 4 Primacy 3	Some vehicles from this car maker are fitted with tyres with specific markings. Michelin recommends complete sets of four.	YES	YES
	DT1	Michelin	ALL	Pilot Sport PS2 Primacy 3 Primacy HP LTX A/T2	Improves certain performance aspects on vehicles designed for these tyres. Must be used in axle sets	YES	YES
	G1	Michelin	ALL	Energy Saver Energy Saver+ Primacy HP		YES	YES
	JLR J	Car Maker	JAGUAR LAND ROVER	Latitude Tour HP Pilot Sport Cup 2	Some vehicles from this car maker are fitted with tyres with specific markings. Michelin recommends complete sets of four.	YES	YES
	MO MO1	Car Maker	MERCEDES	Energy Saver Energy Saver+ Latitude Sport 3 Latitude Sport Latitude Tour HP Pilot Sport 3 Pilot Sport PS2 Primacy 3 Primacy HP Pilot Sport 4S	All vehicles from this car maker are fitted with tyres with specific markings. Michelin recommends complete sets of four.	YES	YES
	MOE	Car Maker	MERCEDES	Offre ZP : Primacy 3	Some vehicles from this car maker are fitted with tyres with specific markings. Michelin recommends complete sets of four.	YES	YES (if ZP)
	★ MO	Car Maker	BMW / MERCEDES	Primacy 3		YES	YES
	★ MOE	Car Maker	BMW / MERCEDES	Offre ZP : Primacy 3 Pilot Sport 3		YES	YES (if ZP)
	S1	Michelin	ALL	Primacy 3 Primacy 4 Pilot Super Sport	Improves certain performance aspects on vehicles designed for these tyres. Must be used in axle sets.	YES	YES
	ST	Michelin	HONDA CR-Z	Pilot Sport 3	Improves certain performance aspects on vehicles designed for these tyres. Must be used in axle sets.	YES	YES
	VOL	Car Maker	VOLVO S90 / V90 / XC 90	Primacy 3 Latitude Sport 3 Pilot Sport 4 Pilot Super Sport	Some vehicles from this car maker are fitted with tyres with this marking. Michelin recommends complete sets of four. Must be used in axle sets	YES	YES

* Michelin does not recommend mixing tyres with different specific markings on an axle. Michelin strongly recommends using tyres in identical sets of four on 4 wheel drive vehicles (except in the case of vehicles originally specified with different tyre sizes front and rear). For further details, or assistance on specific cases, please contact local sellers.



MICHELIN TYRES APPROVED BY CAR MANUFACTURERS

SIZE	INDEX	PATTERN	CAI	POSITION	SPECIAL MARKING	TECHNO
ALFA ROMEO						
GIULIA						
225/50 R17	94W	PRIMACY 3	701711	-	AR	-
STELVIO						
255/45 R20	105V XL	LATITUDE SPORT 3	253522	-	-	-
235/60 R18	103W	LATITUDE SPORT 3	520316	-	AR	-
ALPINE						
A110						
205/45 ZR17	88(Y) XL	PILOT SPORT 4	149173	-	-	-
235/45 ZR17	97(Y) XL	PILOT SPORT 4	710920	-	-	-
AUDI						
A1						
215/45 R16	90V XL	PILOT SPORT 3	474002	-	AO DT1	-
A3						
205/55 R16	91W	PRIMACY 3	709240	-	AO	-
225/45 R17	91Y	PRIMACY 3	541785	-	AO	-
A4						
225/50 R17	94Y	PRIMACY 3	429361	-	AO DT1	-
245/40 ZR18	93Y	PILOT SPORT 4	120075	-	AO	-
245/40 ZR18	97Y XL	PILOT SPORT 3	942166	-	AO	-
A4 ALLROAD						
225/55 R17	97Y	PRIMACY 3	944931	-	AO DT1	-
245/45 R18	96Y	PRIMACY 3	450869	-	AO	-
A5						
265/30ZR20	94(Y) XL	PILOT SPORT PS2	303098	-	RO1	-
255/35 ZR19	96Y XL	PILOT SPORT 3	111997	-	AO	-
245/40 ZR18	93Y	PILOT SPORT 4	120075	-	AO	-
A6						
225/55 R16	95Y	PRIMACY HP	195933	-	AO	-
245/45 R18	100Y XL	PRIMACY 3	974019	-	AO	-
255/40 ZR19	100Y XL	PILOT SPORT 3	272795	-	AO	-
255/40 R20	101Y XL	PILOT SPORT 4	396990	-	AO	ACOUSTIC
245/45 R19	102Y XL	PILOT SPORT 4	559812	-	AO	ACOUSTIC
A8						
255/45 R19	104Y XL	PILOT SPORT 4	311351	-	AO	ACOUSTIC
255/45 R19	104Y	PILOT SPORT 4	607203	-	AO S1	ACOUSTIC
Q1						
205/60 R16	92W	PRIMACY 3	687816	-	AO	-
215/50 R18	92W	PRIMACY 3	409539	-	AO1	-
215/55 R17	94W	PRIMACY 3	090571	-	AO	-
Q3						
235/55 R17	99V	LATITUDE SPORT	817676	-	AO	-

SIZE	INDEX	PATTERN	CAI	POSITION	SPECIAL MARKING	TECHNO
235/55 R18	100V	PRIMACY 4	790932	-	AO	-
Q5						
235/65 R17	104W	LATITUDE SPORT 3	166260	-	AO	-
235/60 R18	103W	LATITUDE SPORT 3	819701	-	AO	-
235/55 R19	101W	LATITUDE SPORT 3	151472	-	AO	-
255/45 R20	101W	LATITUDE SPORT 3	592741	-	AO	-
235/55 R19	101W	LATITUDE SPORT 3	151472	-	AO	-
BMW						
1-SERIES						
225/45 R18	95W	PRIMACY 3	920911	-	*	ZP
2-SERIES						
205/55 R17	95W XL	PRIMACY 3	390965	-	*	ZP
205/55 R17	95W XL	PRIMACY 3	564578	-	* test	-
2-SERIES ACTIVE TOURER						
225/45 R18	91W	PRIMACY 3	653892	-	*	ZP
3-SERIES						
225/45 ZR18	95(Y) XL	PILOT SUPER SPORT	378819	Front	*	-
255/40 ZR18	99(Y) XL	PILOT SUPER SPORT	452691	Rear	*	-
3-SERIES GT						
225/55 R17	97Y	PRIMACY 3	536615	-	*	-
5-SERIES						
245/40 R19	94Y	PRIMACY HP	007410	-	*	ZP
275/35 R19	96Y	PRIMACY HP	064521	-	*	ZP
245/40 R19	98Y	PRIMACY 3	245853	-	* MO	-
225/55 R17	97Y	PRIMACY 3	743304	-	* MOE	ZP
245/45 R18	100Y XL	PRIMACY 3	831899	Front	* MOE	ZP
275/40 R18	99Y	PRIMACY 3	432853	Rear	* MOE	ZP
245/40 R19	98Y XL	PRIMACY 3	387467	Front	* MOE	ZP
275/35 R19	100Y XL	PRIMACY 3	288543	Rear	* MOE	ZP
245/35 R20	95Y XL	PILOT SPORT 3	608766	Front	* MOE	ACOUSTIC ZP
275/30 R20	97Y XL	PILOT SPORT 3	202279	Rear	* MOE	ZP
245/35 R20	95Y XL	PILOT SUPER SPORT	054412	Front	*	-
275/30 R20	97Y XL	PILOT SUPER SPORT	736079	Rear	*	-
7-SERIES						
245/50 R18	100W	PILOT PRIMACY	136524	-	*	-
245/45 R19	98Y XL	PRIMACY 3	436809	Front	*	ZP
275/40 R19	101Y	PRIMACY 3	419781	Rear	*	ZP
245/50 R18	100Y	PRIMACY 3	948389	-	*	ZP
245/45 R19	98Y	PRIMACY 3	241279	Front	* S1	ZP
275/40 R19	101Y	PRIMACY 3	167883	Rear	* S1	ZP
245/40 ZR20	99(Y) XL	PILOT SUPER SPORT	730630	Front	*	-
275/35 ZR20	102(Y) XL	PILOT SUPER SPORT	975453	Rear	*	-

MICHELIN TYRES APPROVED BY CAR MANUFACTURERS

SIZE	INDEX	PATTERN	CAI	POSITION	SPECIAL MARKING	TECHNO
245/40 R20	95Y	PILOT PRIMACY	225216	Front	*	-
275/35 R20	98y	PILOT PRIMACY	343438	Rear	*	-
X3						
245/45 R19	98Y	PRIMACY 3	436809	Front	*	ZP
275/40 R19	101Y	PRIMACY 3	419781	Rear	*	ZP
245/50 R19	105W XL	LATITUDE SPORT 3	414419	-	*	ZP
X4						
245/40 ZR20	99(Y) XL	PILOT SUPER SPORT	730630	Front	*	-
275/35 ZR20	102(Y) XL	PILOT SUPER SPORT	975453	Rear	*	-
X5						
255/50R19	107H	LATITUDE TOUR HP	959391	-	* DT	ZP
255/55 R18	109V XL	LATITUDE SPORT 3	169622	-	*	-
265/50 R19	110W	LATITUDE SPORT 3	037639	-	*	ZP
X6						
285/35 ZR21	105Y XL	PILOT SUPER SPORT	366637	Front	*	-
325/30 ZR21	108Y XL	PILOT SUPER SPORT	062286	Rear	*	-
255/55 R18	109V XL	LATITUDE SPORT 3	760575	-	*	ZP
BMW M GmbH						
135i MPA						
225/40 ZR18	88Y	PILOT SUPER SPORT	453577	Front	*	-
245/35 ZR18	92Y XL	PILOT SUPER SPORT	617008	Rear	*	-
M2						
245/35 ZR19	93(Y) XL	PILOT SUPER SPORT	877084	Front	*	-
265/35 ZR19	98(Y) XL	PILOT SUPER SPORT	419610	Rear	*	-
245/35 ZR19	93(Y) XL	PILOT SPORT CUP 2	155275	Front	*	-
265/35 ZR19	98(Y) XL	PILOT SPORT CUP 2	292106	Rear	* DT	-
M3						
255/40 ZR18	95(Y)	PILOT SUPER SPORT	248127	Front	*	-
275/40ZR18	99(Y)	PILOT SUPER SPORT	766218	Rear	*	-
255/35 ZR19	96(Y) XL	PILOT SUPER SPORT	495456	Front	*	-
275/35 ZR19	100(Y) XL	PILOT SUPER SPORT	504037	Rear	*	-
265/30 ZR20	94(Y) XL	PILOT SUPER SPORT	288358	Front	*	-
285/30 ZR20	99(Y) XL	PILOT SUPER SPORT	571516	Rear	*	-
245/35 ZR19	93(Y) XL	PILOT SUPER SPORT	877084	Front	*	-
265/35 ZR19	98(Y) XL	PILOT SUPER SPORT	419610	Rear	*	-
245/35 ZR19	93(Y) XL	PILOT SPORT CUP 2	155275	Front	*	-
265/35 ZR19	98(Y) XL	PILOT SPORT CUP 2	292106	Rear	* DT	-
255/35 ZR19	96(Y) XL	PILOT SUPER SPORT	495456	Front	*	-
275/35 ZR19	100(Y) XL	PILOT SUPER SPORT	504037	Rear	*	-
265/30 ZR20	94Y XL	PILOT SUPER SPORT	288358	Front	*	-
285/30 ZR20	99Y XL	PILOT SUPER SPORT	571516	Rear	*	-
225/45 ZR18	95(Y) XL	PILOT SUPER SPORT	378819	Front	*	-

SIZE	INDEX	PATTERN	CAI	POSITION	SPECIAL MARKING	TECHNO
255/40 ZR18	99(Y) XL	PILOT SUPER SPORT	452691	Rear	*	-
M4						
265/35 ZR19	98(Y) XL	PILOT SPORT CUP 2	817389	Front	*	-
285/30 ZR20	99(Y) XL	PILOT SPORT CUP 2	523561	Rear	*	-
M5						
265/40R19	(102Y) XL	PILOT SUPER SPORT	849181	Front	*	-
295/35R19	(104Y) XL	PILOT SUPER SPORT	966752	Rear	*	-
265/35 ZR20	99(Y) XL	PILOT SUPER SPORT	016663	Front	*	-
295/30 ZR20	101(Y) XL	PILOT SUPER SPORT	364257	Rear	*	-
285/35 ZR20	104Y XL	PILOT SPORT 4 S	994854	Front	*	-
275/35 ZR20	102Y XL	PILOT SPORT 4 S	814151	Rear	*	-
255/40 ZR19	96Y	PILOT SPORT PS2	078638	Front	*	-
285/35 R19	99Y	PILOT SPORT PS2	609227	Rear	*	-
M6						
255/40 ZR19	96Y	PILOT SPORT PS2	078638	Front	*	-
285/35 R19	99Y	PILOT SPORT PS2	609227	Rear	*	-
265/40R19	(102Y) XL	PILOT SUPER SPORT	849181	Front	*	-
295/35R19	(104Y) XL	PILOT SUPER SPORT	966752	Rear	*	-
BYD AUTO						
TANG						
245/45 R20	103W XL	LATITUDE SPORT 3	854041	-	-	-
CADILLAC						
ATS						
255/35 ZR18	94(Y) XL	PILOT SUPER SPORT	002705	Front	TPC	-
275/35 ZR18	99(Y) XL	PILOT SUPER SPORT	916790	Rear	TPC	-
CTS						
295/30 ZR19	100(Y) XL	PILOT SUPER SPORT	514444	Front	TPC	-
265/35 ZR19	98(Y) XL	PILOT SUPER SPORT	556533	Rear	TPC	-
CORVETTE						
245/35 ZR19	89(Y)	PILOT SUPER SPORT	240324	Front	-	ZP
285/30 ZR19	94(Y)	PILOT SUPER SPORT	089138	Rear	-	ZP
285/30 ZR20	95(Y)	PILOT SUPER SPORT	579593	Front	-	ZP
335/25 ZR20	99(Y)	PILOT SUPER SPORT	696372	Rear	-	ZP
SRX						
235/65 R18	106H	PRIMACY SUV	715010	-	-	-
CHEVROLET						
BOLT EV						
215/50 R17	91H	PRIMACY 3	347479	-	-	SELFSEAL
CORVETTE						
P285/30 ZR19	94Y	PILOT SPORT CUP 2	775465	Front	-	ZP
P335/25 ZR20	99Y	PILOT SPORT CUP 2	736293	Rear	-	ZP
EQUINOX						

MICHELIN TYRES APPROVED BY CAR MANUFACTURERS

SIZE	INDEX	PATTERN	CAI	POSITION	SPECIAL MARKING	TECHNO
P235/55R18	99H	PILOT HX MXM4	643511	-	-	-
SILVERADO						
LT265/70R18	124/121R	LTX A/T 2	002001	-	-	-
S 10						
265/60 R18	110T	LTX FORCE	264984	-	-	-
CITROEN						
BERLINGO						
205/65 R15	94H	ENERGY SAVER+	557020	-	-	-
C3						
205/45 R17	88V	PILOT SPORT 3	934011	-	-	-
C4 Aircross						
205/55 R19	97V XL	PRIMACY 3	140680	-	S1	-
235/55 R18	100V	LATITUDE TOUR HP	663342	-	-	-
C5						
245/40 ZR19	(98Y) XL	PILOT SPORT 3	710421	-	-	-
DS3						
205/45 R17	88V	PILOT SPORT 3	934011	-	-	-
DS5						
235/45 ZR18	98(Y) XL	PILOT SPORT 3	151206	-	-	-
DS7 CROSSBACK						
235/55 R18	100V	PRIMACY 3	949343	-	-	-
E-MEHARI						
185/65 R15	92T	CROSSCLIMATE+	254413	-	-	-
DODGE						
BARRACUDA						
235/55R18	100V	PRIMACY MXM4	991601	-	-	-
FERRARI						
458 ITALIA						
235/35 ZR20	92(Y) XL	PILOT SUPER SPORT	102558	Front	K1	-
295/35 ZR20	101(Y)	PILOT SUPER SPORT	884133	Rear	K1	-
245/35 ZR20	95(Y)	PILOT SUPER SPORT	982154	Front	K3	-
305/30 ZR20	103(Y) XL	PILOT SUPER SPORT	649798	Rear	K3	-
488 PISTA						
245/35 ZR20	(95Y) XL	PILOT SPORT CUP 2	933051	Front	K2	-
305/30 ZR20	(103Y) XL	PILOT SPORT CUP 2	864254	Rear	K2	-
CALIFORNIA						
245/35 ZR20	95(Y) XL	PILOT SUPER SPORT	616547	Front	K2	-
285/35 ZR20	104(Y) XL	PILOT SUPER SPORT	040441	Rear	K2	-
245/35 ZR20	91(Y)	PILOT SPORT CUP 2	162618	Front	K1	-
305/30 ZR20	103(Y) XL	PILOT SPORT CUP 2	321721	Rear	K1	-
245/40ZR19	94(Y)	PILOT SPORT PS2	605421	Front	K2	-
285/40 ZR19	103(Y)	PILOT SPORT PS2	356594	Rear	K2	-

SIZE	INDEX	PATTERN	CAI	POSITION	SPECIAL MARKING	TECHNO
F12 BERLINETTA						
255/35 ZR20	97(Y) XL	PILOT SUPER SPORT	183835	Front	K2	-
315/35 ZR20	110(Y) XL	PILOT SUPER SPORT	762194	Rear	K2	-
FF						
245/35 ZR20	95(Y) XL	PILOT SUPER SPORT	947920	Front	K1	-
295/35 ZR20	105(Y) XL	PILOT SUPER SPORT	942905	Rear	K1	-
GTC4LUSSO						
245/35 ZR20	95(Y) XL	PILOT SPORT 4 S	283351	Front	K1	-
295/35 ZR20	105(Y) XL	PILOT SPORT 4 S	608562	Rear	K1	-
599 GTB						
245/40 ZR19	(94Y)	PILOT SPORT PS2	788250	Front	K2	-
305/35 ZR 20	(104Y)	PILOT SPORT PS2	318732	Rear	K1	-
599 GTO						
285/30ZR20	(99Y) XL	PILOT SUPER SPORT	651885	Front	K1	-
315/35 ZR20	110Y XL	PILOT SUPER SPORT	073411	Rear	K1	-
PORTOFINO						
245/35 ZR20	(95Y) XL	PILOT SPORT 4 S	922041	Front	K2	-
285/35 ZR20	(104Y) XL	PILOT SPORT 4 S	158437	Rear	K2	-
FIAT						
500						
185/55 R15	82H	ENERGY SAVER+	198771	-	-	-
205/40 ZR17	84W XL	PILOT SPORT 3	557842	-	-	-
500 X						
225/45 R18	91V	PILOT SPORT 3	260192	-	-	-
FORD						
EDGE						
P245/60 R18	104H	LATITUDE TOUR HP	770024	-	-	-
ESCAPE						
P235/50 R18	97V	PILOT HX MXM4	765691	-	-	-
235/50R18	97V	LATITUDE TOUR HP	976944	-	-	-
EXPEDITION						
275/65 R18	116T	PRIMACY XC	739489	-	-	-
F-150						
275/65 R18	116T	PRIMACY XC	739489	-	-	-
245/70R17	110T	LTX M/S 2	724342	-	-	-
F-250/350 SUPER DUTY						
LT245/75 R17	121/118R	LTX A/T 2	653549	-	-	-
LT245/75 R17	121/118R	LTX A/T 2	270780	-	DT1	-
LT265/70 R17	121/118R	LTX A/T 2	816593	-	DT1	-
LT275/65 R20	126/123R	LTX A/T 2	410304	-	-	-
FIESTA						
195/55 R16	87 v	PRIMACY 3	282944	-	-	-

MICHELIN TYRES APPROVED BY CAR MANUFACTURERS

SIZE	INDEX	PATTERN	CAI	POSITION	SPECIAL MARKING	TECHNO
175/65 R14	82H	ENERGY SAVER+	931235	-	-	-
FLEX						
P235/60R18	102T	PRIMACY MXV4	452837	-	-	-
FOCUS						
235/35 ZR19	91Y XL	PILOT SPORT 3	698412	-	-	-
235/35 ZR19	91(Y) XL	PILOT SPORT CUP 2	876381	-	-	-
235/40 ZR18	95W	PILOT SPORT 3	819749	-	-	-
GT						
245/35 ZR20	95(Y) XL	PILOT SPORT CUP 2	462446	Front	-	-
325/30 ZR20	106(Y) XL	PILOT SPORT CUP 2	007514	Rear	-	-
KUGA						
235/55R17	99V	LATITUDE TOUR HP	632117	-	-	-
MONDEO						
235/45 R18	98Y XL	PRIMACY 3	332898	-	-	-
MUSTANG						
255/40 ZR19	100Y XL	PILOT SPORT 4 S	337467	Front	-	-
275/40 ZR19	105Y XL	PILOT SPORT 4 S	946969	Rear	-	-
295/35 ZR19	100Y	PILOT SUPER SPORT	456910	Front	-	-
305/35 ZR19	102Y	PILOT SUPER SPORT	601156	Rear	-	-
GAC						
GS8						
225/60 R18	100H	PRIMACY SUV	155322	-	-	-
GMC						
TERRAIN						
P235/55R18	99T	LATITUDE TOUR	931629	-	-	-
HONDA						
ACCORD						
235/45 R18	98W	PRIMACY HP	477584	-	DT1	-
CROSSTOUR						
245/55 R19	103H	PRIMACY SUV	416390	-	-	-
D-SUV						
245/55 R19	103H	PRIMACY SUV	416390	-	-	-
FIT						
185/60 R15	84H	ENERGY SAVER+	286539	-	-	-
JAZZ						
175/65 R15	84H	ENERGY SAVER+	125471	-	-	-
HYUNDAI						
IK(Sport Sedan)						
225/40 ZR19	93(Y) XL	PILOT SPORT 4 S	358251	Front	-	-
255/35 ZR19	96(Y) XL	PILOT SPORT 4 S	626309	Rear	-	-
225/40 ZR19	93(Y) XL	PILOT SPORT 4	354369	Front	-	-
255/35 ZR19	96(Y) XL	PILOT SPORT 4	133870	Rear	-	-

SIZE	INDEX	PATTERN	CAI	POSITION	SPECIAL MARKING	TECHNO
i20						
185/65R15	88T	ENERGY SAVER+	409983	-	-	-
iX20						
195/65R15	91T	ENERGY SAVER+	577985	-	-	-
i30						
225/40 ZR18	92Y XL	PILOT SUPER SPORT	604586	-	HN	-
VELOSTER						
225/40 ZR18	92Y XL	PILOT SUPER SPORT	604586	-	HN	-
JAGUAR						
F PACE						
255/50 R20	109W XL	LATITUDE TOUR HP	206776	-	JLR	-
I PACE						
235/65R18	110V XL	LATITUDE TOUR HP	954082	-	JLR	-
PEMBROKE LIMITED EDITION						
265/35 R20	99Y XL	PILOT SPORT CUP 2	428365	Front	J	-
305/30 R20	103Y XL	PILOT SPORT CUP 2	245867	Rear	J	-
JEEP						
CHEROKEE						
225/55 R18	98V	PRIMACY 3	589024	-	-	-
KIA						
CEE D						
225/40 ZR18	(92Y) XL	PILOT SPORT 4	674619	-	-	-
OPTIMA						
225/45 R18	91V	PRIMACY 3	372035	-	-	ZP
235/45 ZR18	98(Y) XL	PILOT SPORT 3	151206	-	-	-
PRIDE						
185/65R15	88H	ENERGY SAVER +	455876	-	-	-
LAND ROVER						
EVOQUE						
245/45 R20	99W	LATITUDE TOUR HP	468034	-	-	-
245/45 R20	103W XL	LATITUDE TOUR HP	006399	-	LR	-
245/45 R20	99V	LATITUDE SPORT	290116	-	-	-
235/60R18	103V	LATITUDE TOUR HP	595767	-	-	-
RANGE ROVER SPORT II						
255/55 R20	110Y XL	LATITUDE SPORT	859238	-	-	-
275/45 R21	110Y XL	LATITUDE SPORT	649076	-	-	-
VELAR						
265/45 R21	104W	LATITUDE TOUR HP	579679	-	JLR	-
255/55 R19	111W XL	LATITUDE TOUR HP	304956	-	JLR	-
LEXUS						
GS						
255/35 ZR19	92(Y)	PILOT SUPER SPORT	016943	-	-	-

MICHELIN TYRES APPROVED BY CAR MANUFACTURERS

SIZE	INDEX	PATTERN	CAI	POSITION	SPECIAL MARKING	TECHNO
275/35 ZR19	96(Y)	PILOT SUPER SPORT	328232	-	-	-
IS						
255/35 ZR19	92(Y)	PILOT SUPER SPORT	016943	-	-	-
275/35 ZR19	96(Y)	PILOT SUPER SPORT	328232	-	-	-
225/40 ZR19	93(Y)	PILOT SUPER SPORT	409516	-	-	-
LFA						
245/40 F21	96Y	PILOT SUPER SPORT	535170	Front	-	ZP
275/35 F21	99Y	PILOT SUPER SPORT	442086	Rear	-	ZP
LINCOLN						
MKS CONTINENTAL						
255/45 R19	100V	PRIMACY MXM4	197912	-	-	-
MKZ						
245/45 R18	100W XL	PRIMACY MXM4	613946	-	-	-
245/40R19	98W XL	PRIMACY MXM4	665382	-	-	-
MAYBACH						
MAYBACH SPORT						
275/45 R20	110Y XL	PILOT SPORT PS2	751472	-	MO	-
MERCEDES						
A-CLASS						
235/40 ZR18	95Y XL	PILOT SPORT 3	525495	-	MO	-
225/45 R18	91W	PILOT SPORT 4	364876	-	MO	-
205/55 R17	91W	PRIMACY 3	959429	-	MO	-
B-CLASS (F-CELL/REX)						
225/50 R17	94W	PRIMACY 3	599632	-	MO	-
225/50 R17	94W	PRIMACY 3	721907	-	MOE	ZP
C-CLASS						
225/50 R16	92W	PRIMACY HP	326281	-	MO	-
225/50 R17	94W	PRIMACY 3	599632	-	MO	-
245/40 ZR18	97Y XL	PILOT SUPER SPORT	486703	Front	MO	-
265/40 ZR18	101Y XL	PILOT SUPER SPORT	738886	Rear	MO	-
225/45 R18	95Y XL	PRIMACY 3	393352	Front	MOE	ZP
245/40 R18	97Y XL	PRIMACY 3	262100	Rear	MO	ZP
195/65 R16	92V	ENERGY SAVER	797915	Front	MO	-
205/60 R16	92V	ENERGY SAVER	411487	Rear	MO	-
195/60 R16	89V	ENERGY SAVER	676136	-	MO	-
CLA						
235/40 ZR18	95Y XL	PILOT SPORT 3	525495	-	MO	-
CLS						
245/40 R18	93Y	PILOT SPORT 3	223971	Front	MO	-
275/35 R18	95Y	PILOT SPORT 3	711278	Rear	MO	-
245/40 R18	93Y	PILOT SPORT 3	223971	-	MO	-
E-CLASS						

SIZE	INDEX	PATTERN	CAI	POSITION	SPECIAL MARKING	TECHNO
225/55 R16	99W XL	PRIMACY HP	762970	-	MO	-
225/55 R16	99Y XL	PRIMACY HP	027338	-	MO	-
225/55 R17	97Y	PRIMACY 3	743304	-	* MOE	ZP
245/45 R18	100 Y XL	PRIMACY 3	831899	Front	* MOE	ZP
275/40 R18	99Y	PRIMACY 3	432853	Rear	* MOE	ZP
245/40 R19	98Y XL	PRIMACY 3	387467	Front	* MOE	ZP
275/35 R19	100Y XL	PRIMACY 3	288543	Rear	* MOE	ZP
245/35 R20	95Y XL	PILOT SPORT 3	608766	Front	* MOE	ACOUSTIC ZP
275/30 R20	97Y XL	PILOT SPORT 3	202279	Rear	* MOE	ZP
245/45 R19	102Y XL	PILOT SPORT 3	162305	-	MO	-
245/35 R20	95Y XL	PILOT SPORT 3	724271	Front	* MOE	ZP
275/30 R20	97Y XL	PILOT SPORT 3	202279	Rear	* MOE	ZP
GLA						
215/60 R17	96V	PRIMACY 3	193408	-	MO	-
215/65 R17	99V	PRIMACY 4	421991	-	MO	-
GLC						
235/65 R17	104V	LATITUDE SPORT 3	064359	-	MO	-
235/55 R19	101Y	LATITUDE SPORT 3	965119	-	MO1	-
255/45 ZR20	105Y XL	LATITUDE SPORT 3	597090	Front	MO	-
285/40 ZR20	108Y XL	LATITUDE SPORT 3	712106	Rear	MO	-
255/50 R19	103Y	LATITUDE SPORT 3	710080	-	MO1	-
235/55 R19	101V	LATITUDE SPORT 3	201998	-	MO	-
255/45 R20	101W	LATITUDE SPORT 3	275250	-	MO	-
265/40 ZR21	105(Y) XL	PILOT SPORT 4 S	759726	Front	MO1	-
295/35 ZR21	107(Y) XL	PILOT SPORT 4 S	032543	Rear	MO1	-
GL-CLASS						
275/50 R20	109W	LATITUDE SPORT	058138	-	MO	-
275/55 R19	111W	LATITUDE SPORT	699514	-	MO	-
265/60 R18	110V	LATITUDE TOUR HP	024009	-	MO	-
235/60 R18	103V	LATITUDE SPORT 3	516938	-	MO	-
255/50 R19	107W	LATITUDE SPORT 3	483453	-	MO	-
275/50 R20	113W XL	LATITUDE SPORT 3	418803	-	MO	-
275/45 R21	107Y	LATITUDE SPORT 3	633855	Front	MO	-
315/40 R21	111Y	LATITUDE SPORT 3	648064	Rear	MO	-
GLE-CLASS						
255/50R19	107H XL	LATITUDE TOUR HP	519629	-	MO	-
ML-CLASS						
295/35 ZR21	107Y XL	LATITUDE SPORT 3	164513	-	MO	-
S-CLASS/CL						
245/55R17	102W	PRIMACY 3	815386	-	MO	-
245/50 R18	100W	PRIMACY 3	287124	-	MO	ZP
275/40 R19	101Y	PILOT SPORT 3	990833	-	MO	-

MICHELIN TYRES APPROVED BY CAR MANUFACTURERS

SIZE	INDEX	PATTERN	CAI	POSITION	SPECIAL MARKING	TECHNO
255/45 R18	99Y	PRIMACY HP	696509	Front	MO	-
275/45 R18	103Y	PRIMACY HP	024070	Rear	MO	-
245/45 R19	102Y XL	PILOT SPORT 3	162305	Front	MO	-
275/40 R19	101Y	PILOT SPORT 3	990833	Rear	MO	-
SLC						
225/45 R17	91W	PRIMACY HP	592471	-	MO	-
225/45 R17	91W	PRIMACY HP	592471	Front	MO	-
245/40 R17	91W	PRIMACY HP	459199	Rear	MO	-
SLK						
225/45 R17	91W	PRIMACY HP	592471	-	MO	-
225/45 R17	91W	PRIMACY HP	592471	Front	MO	-
245/40 R17	91W	PRIMACY HP	459199	Rear	MO	-
MERCEDES AMG						
A-CLASS						
235/40 ZR18	95Y XL	PILOT SPORT 3	525495	-	MO	-
AMG GT						
255/35 ZR19	96(Y) XL	PILOT SUPER SPORT	359465	Front	MO	-
295/30 ZR20	101 (Y) XL	PILOT SUPER SPORT	978679	Rear	MO	-
265/35 ZR19	98(Y) XL	PILOT SUPER SPORT	917892	Front	MO	-
295/35 ZR19	104(Y) XL	PILOT SUPER SPORT	896817	Rear	MO	-
265/35 ZR19	98(Y) XL	PILOT SPORT CUP 2	350233	Front	MO	-
295/30 ZR20	101(Y) XL	PILOT SPORT CUP 2	367103	Rear	MO	-
265/35 ZR19	98(Y) XL	PILOT SPORT CUP 2	350233	Front	MO	-
305/30 ZR20	103(Y) XL	PILOT SPORT CUP 2	548086	Rear	MO	-
AMG GT4						
275/35 ZR21	(103Y) XL	PILOT SPORT CUP 2	688399	Front	MO1	-
315/30 ZR21	(105Y) XL	PILOT SPORT CUP 2	525492	Rear	MO1	-
AMG GTC						
265/35 ZR19	98(Y) XL	PILOT SUPER SPORT	917892	Front	MO	-
305/30 ZR20	103(Y) XL	PILOT SUPER SPORT	036512	Rear	MO	-
275/35 ZR19	100(Y) XL	PILOT SPORT CUP 2	548124	Front	MO	-
325/30 ZR20	106(Y) XL	PILOT SPORT CUP 2	464752	Rear	MO	-
C-CLASS						
245/35 ZR19	93Y XL	PILOT SUPER SPORT	391622	Front	MO1	-
265/35 ZR19	98Y XL	PILOT SUPER SPORT	797608	Rear	MO1	-
245/35 ZR19	93(Y) XL	PILOT SPORT CUP 2	146122	Front	MO1	-
265/35 ZR19	98(Y) XL	PILOT SPORT CUP 2	226206	Rear	MO1	-
255/35 ZR19	96(Y) XL	PILOT SUPER SPORT	359465	Front	MO	-
285/30 ZR19	98(Y) XL	PILOT SUPER SPORT	242781	Rear	MO1	-
285/30 ZR20	99(Y) XL	PILOT SUPER SPORT	570328	Rear	MO1	-
255/40 ZR18	99(Y) XL	PILOT SUPER SPORT	651478	Front	MO1	-
285/35 ZR18	101(Y) XL	PILOT SUPER SPORT	925260	Rear	MO1	-

SIZE	INDEX	PATTERN	CAI	POSITION	SPECIAL MARKING	TECHNO
255/35 ZR19	96(Y) XL	PILOT SPORT CUP 2	346978	Front	MO1	-
285/30 ZR20	99(Y) XL	PILOT SPORT CUP 2	192610	Rear	MO1	-
225/45 R18	95Y XL	PRIMACY 3	393352	Front	MOE	ZP
245/40 R18	97Y XL	PRIMACY 3	262100	Rear	MO	ZP
CL						
255/40 ZR20	101(Y) XL	PILOT SPORT 3	001413	Front	MO	-
285/35 ZR20	104 (Y) XL	PILOT SPORT 3	440708	Rear	MO	-
CLA						
235/40 ZR18	95Y XL	PILOT SPORT 3	525495	-	MO	-
E-CLASS						
245/40 R19	98Y XL	PRIMACY 3	387467	Front	* MOE	ZP
275/35 R19	100 YXL	PRIMACY 3	288543	Rear	* MOE	ZP
255/35 ZR19	96Y XL	PILOT SUPER SPORT	359465	Front	MO	-
295/35 ZR19	104Y XL	PILOT SUPER SPORT	896817	Rear	MO	-
265/40 ZR19	102Y XL	PILOT SPORT 4 S	128677	Front	MO1	-
295/35 ZR19	104Y XL	PILOT SPORT 4 S	709882	Rear	MO1	-
255/40ZR18	99Y	PILOT SPORT 3	184228	Front	MO1	-
285/35 ZR18	101Y XL	PILOT SPORT 3	206686	Rear	MO1	-
265/35 ZR20	99Y XL	PILOT SPORT 4 S	336171	Front	MO1	-
295/30 ZR20	101Y XL	PILOT SPORT 4 S	300179	Rear	MO1	-
255/40ZR18	99Y	PILOT SPORT 3	184228	Front	MO1	-
285/35 ZR18	101Y XL	PILOT SPORT 3	206686	Rear	MO1	-
245/35 ZR20	95Y XL	PILOT SPORT 4S	611376	Front	MO	-
275/30 ZR20	97Y XL	PILOT SPORT 4S	817354	Rear	MO	-
S-CLASS						
255/40 ZR20	101(Y) XL	PILOT SPORT 3	001413	Front	MO	-
285/35 ZR20	104(Y) XL	PILOT SPORT 3	440708	Rear	MO	-
SL						
255/35 ZR19	96(Y) XL	PILOT SUPER SPORT	359465	Front	MO	-
285/30 ZR20	99(Y) XL	PILOT SUPER SPORT	570328	Rear	MO1	-
MINI						
CLUBMAN						
225/40 ZR18	92Y XL	PILOT SUPER SPORT	509184	-	*	-
COUNTRYMAN						
225/55 R17	97W	PRIMACY 3	919851	-	*	ZP
MINI						
195/55 R16	87W	ENERGY SAVER	799996	-	*	-
205/45ZR17	88(Y) XL	PILOT SUPER SPORT	250600	-	*	-
MITSUBISHI						
PAJERO						
265/50 R20	107V	LATITUDE SPORT 3	612231	-	-	-

MICHELIN TYRES APPROVED BY CAR MANUFACTURERS

SIZE	INDEX	PATTERN	CAI	POSITION	SPECIAL MARKING	TECHNO
NISSAN						
Size	Index	Profil	CAI	Position	Specific marking	Techno
ALTIMA						
215/55 R17	94V	PRIMACY LC	130535	-	DT2	-
JUKE						
225/45 R18	91 W	PILOT SPORT 3	153632	-	-	-
QASHQAI						
215/55 R18	99V XL	PRIMACY 3	960565	-	-	-
SENTRA						
215/45 ZR18	93W XL	PILOT SPORT 3	034424	-	-	-
OPEL						
Size	Index	Profil	CAI	Position	Specific marking	Techno
CORSA						
215/40 ZR18	89(Y) XL	PILOT SPORT 4	112030	-	-	-
215/45 ZR17	91(Y) XL	PILOT SPORT 4	795291	-	-	-
INSIGNIA NG						
245/35R20	95(Y) XL	PILOT SUPER SPORT	991834	-	-	-
PEUGEOT						
Size	Index	Profil	CAI	Position	Specific marking	Techno
208						
205/45 R17	88V	PILOT SPORT 3	934011	-	-	-
508						
215/55 R 17	98W	PRIMACY 3	378668	-	-	-
235/45 ZR18	98(Y) XL	PILOT SPORT 3	151206	-	-	-
3008						
215/65 R17	99V	PRIMACY 3	817725	-	-	-
225/55 R18	98V	PRIMACY 3	589024	-	-	-
205/55 R19	99V XL	PRIMACY 3	015344	-	-	-
PORSCHE						
Size	Index	Profil	CAI	Position	Specific marking	Techno
911-2						
245/35 ZR20	95(Y) XL	PILOT SPORT 4 S	617546	Front	N0	-
305/30 ZR20	103(Y) XL	PILOT SPORT 4 S	077027	Rear	N0	-
911-2 GT3						
245/35 ZR20	95(Y) XL	PILOT SPORT CUP 2	698035	Front	N1	-
305/30 ZR20	103(Y) XL	PILOT SPORT CUP 2	993883	Rear	N1	-
911 CARRERA						
205/55 ZR16	91(Y)	PILOT EXALTO 2	064600	Front	N0	-
225/50 ZR16	92(Y)	PILOT EXALTO 2	916357	Rear	N0	-
235/40 ZR 18	95 Y XL	PILOT SPORT PS2	546621	Front	N4	-
315/30 ZR 18	98Y	PILOT SPORT PS2	041650	Rear	N4	-
245/35 ZR19	93(Y) XL	PILOT SPORT CUP 2	139305	Front	N0	-

SIZE	INDEX	PATTERN	CAI	POSITION	SPECIAL MARKING	TECHNO
325/30 ZR19	105(Y) XL	PILOT SPORT CUP 2	394762	Rear	N0	-
235/35 ZR 19	91(Y) XL	PILOT SPORT CUP 2	239716	Front	N0	-
305/30 ZR19	102(Y) XL	PILOT SPORT CUP 2	558923	Rear	N0	-
225/40 ZR18	92(Y) XL	PILOT SPORT PS2	624767	Front	N3	-
285/30 ZR18	93(Y)	PILOT SPORT PS2	040653	Rear	N3	-
235/40 ZR18	95(Y) XL	PILOT SPORT PS2	546621	Front	N4	-
295/30 ZR18	98(Y) XL	PILOT SPORT PS2	054029	Rear	N4	-
235/35 ZR19	91(Y) XL	PILOT SPORT PS2	095636	Front	N2	-
295/30ZR19	100(Y) XL	PILOT SPORT PS2	172795	Rear	N2	-
235/40 ZR18	95(Y) XL	PILOT SPORT PS2	546621	Front	N4	-
295/35 ZR18	99(Y)	PILOT SPORT PS2	240093	Rear	N4	-
235/35 ZR 19	91(Y) XL	PILOT SPORT PS2	095636	Front	N2	-
305/30ZR19	102(Y) XL	PILOT SPORT PS2	813765	Rear	N2	-
CARRERA GT						
265/35 ZR19	98(Y) XL	PILOT SUPER SPORT	886595	Front	N0	-
335/30 ZR20	108(Y) XL	PILOT SUPER SPORT	001681	Rear	N0	-
918 SPYDER						
265/35 ZR20	95(Y)	PILOT SPORT CUP 2	693428	Front	N0	-
325/30 ZR21	104(Y)	PILOT SPORT CUP 2	940469	Rear	N0	-
991 GT3						
245/35 ZR20	91(Y)	PILOT SPORT CUP 2	144062	-	N0	-
991 GT3 RS						
265/35 ZR20	99(Y) XL	PILOT SPORT CUP 2	414316	Front	N1	-
325/30 ZR21	108(Y) XL	PILOT SPORT CUP 2	000383	Rear	N1	-
265/35 ZR20	99(Y) XL	PILOT SPORT CUP 2	711702	Front	N2	-
325/30 ZR21	108(Y) XL	PILOT SPORT CUP 2	017163	Rear	N2	-
924						
205/55 ZR16	91(Y)	PILOT EXALTO 2	064600	-	N0	-
944						
205/55 ZR16	91(Y)	PILOT EXALTO 2	064600	Front	N0	-
225/50 ZR16	92(Y)	PILOT EXALTO 2	916357	Rear	N0	-
BOXSTER FL						
235/35 ZR20	92(Y) XL	PILOT SPORT 4 S	541068	Front	N0	-
265/35 ZR20	99(Y) XL	PILOT SPORT 4 S	459004	Rear	N0	-
BOXSTER / BOXSTER S						
205/55 ZR16	91(Y)	PILOT EXALTO 2	064600	Front	N0	-
225/50 ZR16	92(Y)	PILOT EXALTO 2	916357	Rear	N0	-
205/50 ZR 17	89 (Y)	PILOT SPORT PS2	151176	Front	N3	-
255/40 ZR 17	94 (Y)	PILOT SPORT PS2	770384	Rear	N3	-
225/40 ZR 18	92 (Y) XL	PILOT SPORT PS2	624767	Front	N3	-
265/35 ZR18	97(Y)	PILOT SPORT PS2	940122	Rear	N3	-
BOXSTER / CAYMAN						

MICHELIN TYRES APPROVED BY CAR MANUFACTURERS

SIZE	INDEX	PATTERN	CAI	POSITION	SPECIAL MARKING	TECHNO
205/55 ZR17	95(Y) XL	PILOT SPORT PS2	277631	Front	N1	-
235/50 ZR17	96Y	PILOT SPORT PS2	916195	Rear	N1	-
235/40 ZR18	95(Y) XL	PILOT SPORT PS2	546621	Front	N4	-
265/40 ZR18	101(Y) XL	PILOT SPORT PS2	495268	Rear	N4	-
235/35 ZR19	91(Y) XL	PILOT SPORT PS2	095636	Front	N2	-
265/35ZR19	94(Y)	PILOT SPORT PS2	505499	Rear	N2	-
CAYENNE						
235/65 R 17	108V XL	4X4 DIAMARIS	285470	-	NO	-
255/55 ZR19	111(Y) XL	LATITUDE SPORT 3	241073	Front	NO	-
275/50 ZR19	112(Y) XL	LATITUDE SPORT 3	766829	Rear	NO	-
275/40 R20	106Y XL	4X4 DIAMARIS	463876	-	N1	-
295/35 R21	107Y XL	LATITUDE SPORT	224029	-	N1	-
275/45 R19	108Y XL	LATITUDE SPORT	522255	-	NO	-
275/45 R19	108V XL	LATITUDE TOUR HP	536851	-	NO	-
CAYENNE FL						
295/35 R21	107Y XL	LATITUDE SPORT 3	433460	-	N1	-
275/45 R20	110Y XL	LATITUDE SPORT	792654	-	NO	-
265/50 R19	110Y XL	LATITUDE SPORT 3	159270	-	NO	-
255/55 R18	109Y XL	LATITUDE SPORT	514028	-	N1	-
265/50 R19	110V XL	LATITUDE TOUR HP	315703	-	NO	-
255/55 R18	109V XL	LATITUDE TOUR HP	095304	-	N1	-
GT4						
245/35 ZR20	91(Y)	PILOT SPORT CUP 2	144062	Front	NO	-
295/30 ZR20	101(Y) XL	PILOT SPORT CUP 2	899482	Rear	NO	-
MACAN						
235/60 R18	103W	LATITUDE SPORT 3	765737	-	NO	-
235/55 R19	101Y	LATITUDE SPORT 3	056615	-	NO	-
235/55 R19	101V	LATITUDE TOUR HP	905586	Front	NO	-
255/50 R19	103V	LATITUDE TOUR HP	691617	Rear	NO	-
235/60 R18	103V	LATITUDE TOUR HP	774118	Front	NO	-
255/55 R18	105V	LATITUDE TOUR HP	290822	Rear	NO	-
265/40 R21	101Y	LATITUDE SPORT 3	197915	Front	NO	-
295/35 R21	103Y	LATITUDE SPORT 3	387482	Rear	NO	-
265/45 R20	104V	LATITUDE TOUR HP	292614	Front	NO	-
295/40 R20	106V	LATITUDE TOUR HP	024126	Rear	NO	-
265/45 R20	104Y	LATITUDE SPORT 3	521105	Front	NO	-
295/40 R20	106Y	LATITUDE SPORT 3	815490	Rear	NO	-
255/55 R18	105W	LATITUDE SPORT 3	626763	-	NO	-
255/50 R19	103Y	LATITUDE SPORT 3	385103	-	NO	-
265/40 R21	101Y	LATITUDE SPORT 3	229544	Front	N2	-
295/35 R21	103Y	LATITUDE SPORT 3	087348	Rear	N2	-
PANAMERA						

SIZE	INDEX	PATTERN	CAI	POSITION	SPECIAL MARKING	TECHNO
255/40 ZR20	101(Y) XL	PILOT SUPER SPORT	122962	Front	NO	-
295/35 ZR20	105(Y) XL	PILOT SUPER SPORT	429255	Rear	NO	-
265/45 ZR19	105(Y) XL	PILOT SPORT 4	204186	Front	NO	-
295/40 ZR19	108(Y) XL	PILOT SPORT 4	481723	Rear	NO	-
275/40 ZR20	106(Y) XL	PILOT SPORT 4	192246	Front	NO	ACOUSTIC
315/35 ZR20	110(Y) XL	PILOT SPORT 4	981884	Rear	NO	ACOUSTIC
255/45 ZR19	100(Y)	PILOT SUPER SPORT	711247	Front	NO	-
285/40 ZR19	103(Y)	PILOT SUPER SPORT	198755	Rear	NO	-
275/35 ZR21	103(Y) XL	PILOT SPORT 4	084323	Front	NO	ACOUSTIC
315/30 ZR21	105(Y) XL	PILOT SPORT 4	171043	Rear	NO	ACOUSTIC
325/30 ZR21	108(Y) XL	PILOT SPORT 4	694692	Rear	NO	ACOUSTIC
RENAULT						
CLIO						
205/45 R 17	88V	PRIMACY 3	002285	-	-	-
DUSTER						
215/65R16	98H	LATITUDE TOUR HP	286277	-	-	-
KANGOO						
195/65 R15	95T XL	ENERGY SAVER+	549854	-	-	-
MEGANE						
235/35 ZR19	91(Y) XL	PILOT SPORT CUP 2	876381	-	-	-
195/65 R15	91H XL	ENERGY SAVER+	468880	-	-	-
205/50 R17	93V	PRIMACY 3	532879	-	DT1	-
SCENIC						
195/55 R20	95H XL	PRIMACY 3	593385	-	-	-
TALISMAN						
245/45 R18	100W XL	PRIMACY 3	648090	-	-	-
TWINGO						
165/65 R15	81T	ENERGY SAVER+	210386	-	-	-
185/60 R15	84T	ENERGY SAVER+	262461	-	-	-
SKODA						
C-SUV						
215/65 R17	99V	PRIMACY 3	817725	-	-	-
235/55 R18	100V	LATITUDE SPORT 3	450499	-	-	-
KAROQ						
215/50 R18	92W	PRIMACY 3	409539	-	AO1	-
TESLA MOTORS						
MODEL 3						
235/35 R20	92Y	PILOT SPORT 4 S	811756	-	TO	ACOUSTIC
275/30 R20	97Y XL	PILOT SPORT 4 S	634922	-	TO	ACOUSTIC
MODEL S						
245/35 ZR21	96(Y) XL	PILOT SUPER SPORT	439687	Front	TO	ACOUSTIC
265/35 ZR21	101(Y) XL	PILOT SUPER SPORT	724045	Rear	TO	ACOUSTIC

MICHELIN TYRES APPROVED BY CAR MANUFACTURERS

SIZE	INDEX	PATTERN	CAI	POSITION	SPECIAL MARKING	TECHNO
245/45 R19	102Y XL	PILOT SPORT 3	064413	-	T0	ACOUSTIC
255/45 R20	105Y XL	LATITUDE SPORT 3	778855	Front	T0	ACOUSTIC
275/45 R20	110Y XL	LATITUDE SPORT 3	685344	Rear	T0	ACOUSTIC
TOYOTA						
CAMRY						
215/55 R17	94V	PRIMACY 3 ST	901828	-	DT1	-
SIENNA						
P235/60R17	100T	PRIMACY MXV4	274995	-	-	-
TUNDRA						
P275/65R18	114T	LTX A/T 2	854415	-	DT	-
VOLKSWAGEN						
AMAROK						
245/70 R16	111T	LTX FORCE	447950	-	-	-
PASSAT						
215/60 R16	95V	PRIMACY 3	078606	-	-	-
215/55 R17	94V	PRIMACY 3	278066	-	-	SELFSEAL
TIGUAN						
215/65 R17	99V	PRIMACY 3	817725	-	-	-
TOURAN						
215/55 R17	94V	PRIMACY 3	278066	-	-	SELFSEAL
VOLVO						
S60						
235/45 R18	98W XL	PRIMACY 3	038750	-	-	-
235/40 ZR18	95Y XL	PILOT SPORT 3	525495	-	MO	-
245/35 ZR20	95(Y) XL	PILOT SUPER SPORT	036923	-	VOL	ACOUSTIC
S90						
225/55 R17	97V	PRIMACY 3	655611	-	VOL	-
245/45 R18	100W XL	PRIMACY 3	362124	-	VOL	-
255/40 R19	100W XL	PILOT SPORT 4	992525	-	VOL	-
245/45 R18	100W XL	PRIMACY 3	362124	-	VOL	-
255/40 R19	100W XL	PILOT SPORT 4	920096	-	VOL	ACOUSTIC
245/45 R18	100W XL	PRIMACY 3	362124	-	VOL	-
255/40 R19	100W XL	PILOT SPORT 4	920096	-	VOL	ACOUSTIC
V90 XC						
235/55 R18	104V XL	LATITUDE SPORT 3	691101	-	VOL	-
235/50 R19	103V XL	LATITUDE SPORT 3	547729	-	VOL	ACOUSTIC
XC60						
255/45 R20	105V XL	LATITUDE SPORT 3	262642	-	VOL	ACOUSTIC
235/60 R18	103V	LATITUDE SPORT 3	507459	-	VOL	-
235/55 R19	105V	LATITUDE SPORT 3	951693	-	VOL	ACOUSTIC
235/55 R19	105V XL	LATITUDE SPORT 3	538717	-	VOL	-
235/65 R17	108V XL	LATITUDE SPORT 3	627174	-	VOL	-

SIZE	INDEX	PATTERN	CAI	POSITION	SPECIAL MARKING	TECHNO
XC90						
235/55 R19	105V XL	LATITUDE SPORT 3	069520	-	-	-
275/45 R20	110V XL	LATITUDE SPORT 3	819508	-	VOL test	-

MICHELIN INFORMS YOU



ZP



- Tyre with reinforced sidewalls which support the load in the event of a loss of pressure.
- Technology known as "self-supporting tyre" (SST).
- Offered in existing ranges.

MARKINGS

The MICHELIN ZP tyre can be identified by its ZP (Zero Pressure) logo displayed on its sidewall.

IN THE EVENT OF A FLAT TYRE


The driver can continue driving, contrary to a car equipped with standard tyres. He must simply adjust his speed and drive at a maximum speed of 80 km/hour over a distance of 80 km, in order to reach a sales outlet safely and replace his tyre. If more than one tyre is punctured, the driver must stop immediately.

Sidewall Innovation:

A sturdier sidewall and rubber quality adjusted in order to bear the load at zero pressure.

Bead area innovation:

Reduction of the risk of the tyre coming off the wheel at zero pressure without any additional fitter demands.



Key benefits:

Greater safety compared with a standard tyre in the event of a puncture.

Safety:

Maintenance of control of the vehicle and reduction of the risk of losing a wheel at zero pressure.

Mobility:

Possibility of continuing to drive on a flat tyre for 80 km at a speed of 80 km/hour.

HOW TO FIT

Vehicle equipment:

A vehicle equipped with self-supporting tyres has undergone certain adjustments when it was designed (chassis, suspension...).

Axle:

Michelin recommends that the vehicle be equipped with 4 MICHELIN ZP tyres. On the same axle, a pair must be fitted. Combinations of self-supporting tyres and non self-supporting tyres are not allowed.

Rim:

In general, the first generation of ZP tyres had to be mounted on specific rims only with specific technical characteristics of robustness and bead unseating. MICHELIN Zero Pressure New generation tyres can be fitted on standard rims H2 (rim with double hump). In any case follow car maker recommendations.

Tyre changing machine:

MICHELIN forbids the fitting of ZP tyres on machines which are not equipped with a fixed point (bead vice) and with a 3rd hand. For more efficiency, MICHELIN also recommends using additional tools recommended by the manufacturer to maintain the cover bead at the bottom of the groove during the tyre change. Follow the instructions set out by the machine manufacturers.

Repairs:

MICHELIN ZP tyres can be repaired once by a professional under the same conditions, and by following the same inspection and repair instructions as tyres which are not ZP. This does not apply to tyres which display a notice on the sidewall clearly stating that the tyre cannot be repaired.

Homologations MICHELIN Zero Pressure:

Technology ZP listed with BMW, Mercedes, Lexus, Corvette, Mini, Cadillac...




NEW MICHELIN ACOUSTIC TECHNOLOGY

DELIVERS A BETTER DRIVING EXPERIENCE BY SIGNIFICANTLY REDUCING INTERIOR NOISE.

Road surface irregularities generate vibrations that are transmitted from the road to the tyre to the vehicle and then to the air inside the cabin in the form of noise.

The tyre vibrations generate a particular noise peak called cavity noise in the 200-250 Hz range, emanating from the tyre cavity and depending on the road/tyre/wheel/vehicle interplay. The vehicle occupants perceive an irritating audible buzz called cavity noise. This noise is discernable and sounds like hootings.

PROPAGATION OF THE TIRE CAVITY NOISE IN THE VEHICLE



HOW DOES MICHELIN ACOUSTIC TECHNOLOGY WORK?



The sound damping effect is obtained through a custom designed polyurethane foam solution exceptionally applied to the tyre interior after curing. The polyurethane foam muffles noise resonance inside the tyre cavity. The interior noise is significantly reduced by 20%*.


* depending on vehicle

BENEFITS

NOISE REDUCTION AND ENHANCED COMFORT FOR THE DRIVER AND PASSENGERS.

- Drivers and passengers benefit fully from hands-free communication devices while lessening driver fatigue on long drives.
- Better premium feeling of compactness in the steering, particularly on changing road conditions.

VEHICULE INTERIOR NOISE ANALYSIS




HOW CAN WE IDENTIFY TYRE EQUIPED OF MICHELIN ACOUSTIC TECHNOLOGY?

The MICHELIN tyre including MICHELIN Acoustic Technology can be identified by its Acoustic logo displayed on its sidewall.



MICHELIN SELFSEAL® TECHNOLOGY



MICHELIN Selfseal® Technology is optimized for the objects most likely to leave you stranded roadside (like nails and screws) by sealing most punctures up to ¼" (6mm). It remains an environmentally friendly option by utilizing a natural rubber sealant material that has no impact on rolling resistance and maintains all other tire performances.



DESIGNED TO KEEP YOU MOVING FORWARD.

MICHELIN Selfseal®

Technology fixes flats before they happen.

Selfseal

***GENUINE PASSION,
EXCEPTIONAL DRIVES.***

